

Řemenice ozubené standardní s předvrtanou dírou



HTD 3M

Počet zubů	Pro řemen šíře (mm)	Mat.	Typ	Dp	De	Df	Dm	Di	L	M	d
10	9	AL	IF	9,55	8,79	13,0	13,0	-	10,2	17,5	-
	15	AL	IF	9,55	8,79	13,0	13,0	-	17,0	26,0	-
12	9	AL	IF	11,46	10,70	15,0	15,0	-	10,2	17,5	-
	15	AL	IF	11,46	10,70	15,0	15,0	-	17,0	26,0	-
14	9	AL	IF	13,37	12,61	16,0	16,0	-	10,2	17,5	-
	15	AL	IF	13,37	12,61	16,0	16,0	-	17,0	26,0	-
15	9	AL	IF	14,32	13,56	17,5	17,5	-	10,2	17,5	-
	15	AL	IF	14,32	13,56	17,5	17,5	-	17,0	26,0	-
16	9	AL	6F	15,28	14,52	18,0	9,5	-	12,8	20,6	4,0
	15	AL	6F	15,28	14,52	18,0	9,5	-	19,5	26,0	4,0
18	9	AL	6F	17,19	16,43	19,5	10,0	-	12,8	20,6	6,0
	15	AL	6F	17,19	16,43	19,5	10,0	-	19,5	26,0	6,0
20	9	AL	6F	19,10	18,34	23,0	12,0	-	12,8	20,6	6,0
	15	AL	6F	19,10	18,34	23,0	12,0	-	19,5	26,0	6,0
21	9	AL	6F	20,05	19,29	25,0	13,0	-	12,8	20,6	6,0
	15	AL	6F	20,05	19,29	25,0	13,0	-	19,5	26,0	6,0
22	9	AL	6F	21,01	20,25	25,0	13,0	-	12,8	20,6	6,0
	15	AL	6F	21,01	20,25	25,0	13,0	-	19,5	26,0	6,0
24	9	AL	6F	22,92	22,16	25,0	13,0	-	12,8	20,6	6,0

	15	AL	6F	22,92	22,16	25,0	13,0	-	19,5	26,0	6,0
26	9	AL	6F	24,83	24,07	28,0	16,0	-	12,8	20,6	6,0
	15	AL	6F	24,83	24,07	28,0	16,0	-	19,5	26,0	6,0
28	9	AL	6F	26,74	25,98	32,0	18,0	-	12,8	20,6	6,0
	15	AL	6F	26,74	25,98	32,0	18,0	-	19,5	26,0	6,0
30	9	AL	6F	28,65	27,89	32,0	19,0	-	12,8	20,6	6,0
	15	AL	6F	28,65	27,89	32,0	19,0	-	19,5	26,0	6,0
32	9	AL	6F	30,56	29,80	36,0	22,0	-	12,8	20,6	6,0
	15	AL	6F	30,56	29,80	36,0	22,0	-	19,5	26,0	6,0
36	9	AL	6F	34,38	33,62	38,0	26,0	-	13,4	22,2	6,0
	15	AL	6F	34,38	33,62	38,0	26,0	-	20,0	30,0	6,0
40	9	AL	6F	38,20	37,44	42,0	28,0	-	13,4	22,2	6,0
	15	AL	6F	38,20	37,44	42,0	28,0	-	20,0	30,0	6,0
44	9	AL	6F	42,02	41,26	48,0	33,0	-	13,4	22,2	6,0
	15	AL	6F	42,02	41,26	48,0	33,0	-	20,0	30,0	6,0
48	9	AL	6	45,84	45,08	-	33,0	-	13,4	22,2	8,0
	15	AL	6	45,84	45,08	-	33,0	-	20,0	30,0	8,0
60	9	AL	6	57,30	56,54	-	33,0	-	13,4	22,2	8,0
	15	AL	6	57,30	56,54	-	33,0	-	20,0	30,0	8,0
72	9	AL	6	68,75	67,99	-	33,0	-	13,4	22,2	8,0
	15	AL	6	68,75	67,99	-	33,0	-	20,0	30,0	8,0

HTD 5M

Počet zubů	Pro řemen šíře (mm)	Mat.	Typ	Dp	De	Df	Dm	Di	L	M	d
12	9	ST	6F	19,10	17,96	25,0	13,0	-	14,5	20,0	4,0
	15	ST	6F	19,10	17,96	25,0	13,0	-	20,5	26,0	4,0
	25	ST	6F	19,10	17,96	25,0	13,0	-	30,5	36,0	4,0
14	9	ST	6F	22,28	21,14	25,0	13,0	-	14,5	27,0	6,0
	15	ST	6F	22,28	21,14	25,0	13,0	-	20,5	26,0	6,0
	25	ST	6F	22,28	21,14	25,0	13,0	-	30,5	36,0	6,0
15	9	ST	6F	23,87	22,73	28,0	16,0	-	14,5	20,0	6,0
	15	ST	6F	23,87	22,73	28,0	16,0	-	20,5	26,0	6,0
	25	ST	6F	23,87	22,73	28,0	16,0	-	30,5	36,0	6,0
16	9	ST	6F	25,46	24,32	28,0	16,0	-	14,5	20,0	6,0
	15	ST	6F	25,46	24,32	28,0	16,0	-	20,5	26,0	6,0
	25	ST	6F	25,46	24,32	28,0	16,0	-	30,5	36,0	6,0
18	9	ST	6F	28,65	27,51	32,0	19,0	-	14,5	20,0	6,0
	15	ST	6F	28,65	27,51	32,0	19,0	-	20,5	26,0	6,0
	25	ST	6F	28,65	27,51	32,0	19,0	-	30,5	36,0	6,0
20	9	ST	6F	31,83	30,69	36,0	23,0	-	14,5	22,5	6,0
	15	ST	6F	31,83	30,69	36,0	23,0	-	20,5	26,0	6,0
	25	ST	6F	31,83	30,69	36,0	23,0	-	30,5	36,0	6,0
21	9	ST	6F	33,42	32,28	38,0	24,0	-	14,5	22,5	6,0
	15	ST	6F	33,42	32,28	38,0	24,0	-	20,5	26,0	6,0
	25	ST	6F	33,42	32,28	38,0	24,0	-	30,5	38,0	6,0
22	9	ST	6F	35,01	33,87	38,0	25,5	-	14,5	22,5	6,0
	15	ST	6F	35,01	33,87	38,0	25,5	-	20,5	26,0	6,0
	25	ST	6F	35,01	33,87	38,0	25,5	-	30,5	38,0	6,0
24	9	ST	6F	38,20	37,06	42,0	27,0	-	14,5	22,5	6,0
	15	ST	6F	38,20	37,06	42,0	27,0	-	20,5	28,0	6,0
	25	ST	6F	38,20	37,06	42,0	27,0	-	30,5	38,0	6,0
26	9	ST	6F	41,38	40,24	44,0	30,0	-	14,5	22,5	6,0

	15	ST	6F	41,38	40,24	44,0	30,0	-	20,5	28,0	6,0
	25	ST	6F	41,38	40,24	44,0	30,0	-	30,5	38,0	6,0
28	9	ST	6F	44,56	43,42	48,0	30,5	-	14,5	22,5	6,0
	15	ST	6F	44,56	43,42	48,0	30,5	-	20,5	28,0	6,0
	25	ST	6F	44,56	43,42	48,0	30,5	-	30,5	38,0	6,0
30	9	ST	6F	47,75	46,60	51,0	35,0	-	14,5	22,5	6,0
	15	ST	6F	47,75	46,60	51,0	35,0	-	20,5	28,0	6,0
	25	ST	6F	47,75	46,60	51,0	35,0	-	30,5	38,0	6,0
32	9	ST	6F	50,93	49,79	54,0	38,0	-	14,5	22,5	8,0
	15	ST	6F	50,93	49,79	54,0	38,0	-	20,5	28,0	8,0
	25	ST	6F	50,93	49,79	54,0	38,0	-	30,5	38,0	8,0
36	9	ST	6F	57,30	56,16	60,0	38,0	-	14,5	22,5	8,0
	15	ST	6F	57,30	56,16	60,0	38,0	-	20,5	28,0	8,0
	25	ST	6F	57,30	56,16	60,0	38,0	-	30,5	38,0	8,0
40	9	ST	6F	63,66	62,52	71,00	38,0	-	14,5	22,5	8,0
	15	ST	6F	63,66	62,52	71,00	38,0	-	20,5	28,0	8,0
	25	ST	6F	63,66	62,52	71,00	38,0	-	30,5	38,0	8,0
44	9	AL	6W	70,03	68,89	-	38,0	-	14,5	25,5	8,0
	15	AL	6W	70,03	68,89	-	38,0	-	20,5	3,0	8,0
	25	AL	6W	70,03	68,89	-	38,0	-	30,5	40,0	8,0
48	9	AL	6W	76,39	75,25	-	45,0	-	14,5	25,5	8,0
	15	AL	6W	76,39	75,25	-	45,0	-	20,5	30,0	8,0
	25	AL	6W	76,39	75,25	-	45,0	-	30,5	40,0	8,0
60	9	AL	6W	95,49	94,35	-	50,0	-	14,5	25,5	8,0
	15	AL	6W	95,49	94,35	-	50,0	-	20,5	30,0	8,0
	25	AL	6W	95,49	94,35	-	50,0	-	30,5	40,0	8,0
72	9	AL	6W	114,59	113,45	-	50,0	-	14,5	25,5	8,0
	15	AL	6W	114,59	113,45	-	50,0	-	20,5	30,0	8,0
	25	AL	6W	114,59	113,45	-	50,0	-	30,5	40,0	8,0

HTD/GT 8M

Počet zubů	Pro řemen šíř (mm)	Mat.	Typ	Dp	De	Df	Dm	Di	L	M	d
22	20	ST	6F	56,02	54,65	60,0	43	-	28	38	12
	30	ST	6F	56,02	54,65	60,0	43	-	38	48	12
	50	ST	6F	56,02	54,65	60,0	43	-	60	70	12
	85	ST	6F	56,02	54,65	60,0	43	-	95	105	12
24	20	ST	6F	61,12	59,75	66,0	45	-	28	38	12
	30	ST	6F	61,12	59,75	66,0	45	-	38	48	12
	50	ST	6F	61,12	59,75	66,0	45	-	60	70	12
	85	ST	6F	61,12	59,75	66,0	45	-	95	105	12
26	20	ST	6F	66,21	64,84	71,0	50	-	28	38	12
	30	ST	6F	66,21	64,84	71,0	50	-	38	48	12
	50	ST	6F	66,21	64,84	71,0	50	-	60	70	12
	85	ST	6F	66,21	64,84	71,0	50	-	95	105	12
28	20	ST	6F	71,30	70,08	75,0	50	-	28	38	15
	30	ST	6F	71,30	70,08	75,0	50	-	38	48	15
	50	ST	6F	71,30	70,08	75,0	50	-	60	70	15
	85	ST	6F	71,30	70,08	75,0	50	-	95	105	15
30	20	ST	6F	76,39	75,13	83,0	55	-	28	38	15
	30	ST	6F	76,39	75,13	83,0	55	-	38	48	15
	50	ST	6F	76,39	75,13	83,0	55	-	60	70	15
	85	ST	6F	76,39	75,13	83,0	55	-	95	105	15
32	20	ST	6F	81,49	80,16	87,0	60	-	28	38	15
	30	ST	6F	81,49	80,16	87,0	60	-	38	48	15
	50	ST	6F	81,49	80,16	87,0	60	-	60	70	15
	85	ST	6F	81,49	80,16	87,0	60	-	95	105	15
34	20	ST	6F	86,58	85,22	91,0	70	-	28	38	15
	30	ST	6F	86,58	85,22	91,0	70	-	38	48	15
	50	ST	6F	86,58	85,22	91,0	70	-	60	70	15
	85	ST	6F	86,58	85,22	91,0	70	-	95	105	15
36	20	ST	6F	91,67	90,30	98,5	70	-	28	38	15
	30	ST	6F	91,67	90,30	98,5	70	-	38	48	15
	50	ST	6F	91,67	90,30	98,5	70	-	60	70	15
	85	ST	6F	91,67	90,30	98,5	70	-	95	105	15
38	20	ST	6F	96,77	95,39	103,0	75	-	28	38	15
	30	ST	6F	96,77	95,39	103,0	75	-	38	48	15
	50	ST	6F	96,77	95,39	103,0	75	-	60	70	15
	85	ST	6F	96,77	95,39	103,0	75	-	95	105	15
40	20	GG	6F	101,86	100,49	106,0	75	-	28	38	15
	30	GG	6F	101,86	100,49	106,0	75	-	38	48	15
	50	GG	6F	101,86	100,49	106,0	75	-	60	70	18
	85	GG	6F	101,86	100,49	106,0	75	-	95	105	18
44	20	GG	6F	112,05	110,67	119,0	75	-	28	38	15

	30	GG	6F	112,05	110,67	119,0	75	-	38	48	15
	50	GG	6F	112,05	110,67	119,0	75	-	60	70	18
	85	GG	6F	112,05	110,67	119,0	75	-	95	105	18
48	20	GG	6F	122,23	120,86	127,0	75	-	28	38	15
	30	GG	6F	122,23	120,86	127,0	75	-	38	48	15
	50	GG	6F	122,23	120,86	127,0	80	-	60	70	18
	85	GG	6F	122,23	120,86	127,0	80	-	95	105	18
56	20	GG	6WF	142,60	141,23	148,0	80	117	28	38	15
	30	GG	6WF	142,60	141,23	148,0	90	117	38	48	15
	50	GG	10WF	142,60	141,23	148,0	90	117	60	60	18
	85	GG	6F	142,60	141,23	148,0	80	-	95	105	20
64	20	GG	6WF	162,97	161,60	168,0	80	137	28	38	15
	30	GG	6WF	162,97	161,60	168,0	90	137	38	48	15
	50	GG	10WF	162,97	161,60	168,0	100	137	60	60	18
	85	GG	10WF	162,97	161,60	168,0	100	137	95	95	20
72	20	GG	6WF	183,35	181,97	192,0	80	158	28	38	15
	30	GG	6WF	183,35	181,97	192,0	95	158	38	48	15
	50	GG	10WF	183,35	181,97	192,0	100	158	60	60	18
	85	GG	10WF	183,35	181,97	192,0	110	158	95	95	20
80	20	GG	6A	203,72	202,35	-	90	180	28	38	15
	30	GG	6A	203,72	202,35	-	100	180	38	48	15
	50	GG	10A	203,72	202,35	-	110	180	60	60	18
	85	GG	10A	203,72	202,35	-	110	180	95	95	20
90	20	GG	6A	229,18	227,81	-	90	204	28	38	15
	30	GG	6A	229,18	227,81	-	100	204	38	48	15
	50	GG	10A	229,18	227,81	-	110	204	60	60	18
	85	GG	10A	229,18	227,81	-	110	204	95	95	20
112	20	GG	6A	285,21	283,83	-	90	260	28	38	18
	30	GG	6A	285,21	283,83	-	100	260	38	48	18
	50	GG	10A	285,21	283,83	-	110	260	60	60	18
	85	GG	10A	285,21	283,83	-	110	260	95	95	24
144	20	GG	6A	366,69	365,32	-	90	341	28	38	20
	30	GG	6A	366,69	365,32	-	100	341	38	48	20
	50	GG	10A	366,69	365,32	-	110	341	60	60	20
	85	GG	10A	366,69	365,32	-	120	341	95	95	24
168	20	GG	6A	427,81	426,44	-	100	402	28	38	20
	30	GG	6A	427,81	426,44	-	100	402	38	48	20
	50	GG	10A	427,81	426,44	-	120	402	60	60	20
	85	GG	10A	427,81	426,44	-	120	402	95	95	24
192	20	GG	6A	488,92	487,55	-	100	463	28	38	20
	30	GG	6A	488,92	487,55	-	100	463	38	48	20
	50	GG	10A	488,92	487,55	-	130	463	60	60	20
	85	GG	10A	488,92	487,55	-	130	463	95	95	24

HTD/GT 14M

Počet zubů	Pro řemen šíř (mm)	Mat.	Typ	Dp	De	Df	Dm	Di	L	M	d
28	40	GG	6F	124,78	122,12	127	100	-	54	69	24
	55	GG	6F	124,78	122,12	127	100	-	70	85	24
	85	GG	6F	124,78	122,12	127	100	-	102	117	24
	115	GG	6F	124,78	122,12	127	100	-	133	148	32
	170	GG	6F	124,78	122,12	127	100	-	187	202	32
29	40	GG	6F	129,23	126,57	138	100	-	54	69	24
	55	GG	6F	129,23	126,57	138	100	-	70	85	24
	85	GG	6F	129,23	126,57	138	100	-	102	117	24
	85	GG	6F	129,23	126,57	138	100	-	133	148	32
	115	GG	6F	129,23	126,57	138	100	-	187	202	32
30	40	GG	6F	133,69	130,99	138	100	-	54	69	24
	55	GG	6F	133,69	130,99	138	100	-	70	85	24
	85	GG	6F	133,69	130,99	138	100	-	102	117	24
	115	GG	6F	133,69	130,99	138	100	-	133	148	32
	170	GG	6F	133,69	130,99	138	100	-	187	202	32
32	40	GG	6F	142,60	139,88	154	100	-	54	69	24
	55	GG	6F	142,60	139,88	154	100	-	70	85	24
	85	GG	6F	142,60	139,88	154	100	-	102	117	24
	115	GG	6F	142,60	139,88	154	100	-	133	148	32
	170	GG	6F	142,60	139,88	154	100	-	187	202	32
34	40	GG	6F	151,52	148,79	160	100	-	54	69	24

	55	GG	6F	151,52	148,79	160	100	-	70	85	24
	85	GG	6F	151,52	148,79	160	100	-	102	117	24
	115	GG	6F	151,52	148,79	160	100	-	133	148	32
	170	GG	6F	151,52	148,79	160	100	-	187	202	32
36	40	GG	6F	160,43	157,68	168	100	-	54	69	24
	55	GG	6F	160,43	157,68	168	100	-	70	85	24
	85	GG	6F	160,43	157,68	168	100	-	102	117	32
	115	GG	6F	160,43	157,68	168	120	-	133	148	32
	170	GG	6F	160,43	157,68	168	120	-	187	202	32
38	40	GG	6F	169,34	166,60	183	120	-	54	69	24
	55	GG	6F	169,34	166,60	183	120	-	70	85	24
	85	GG	6F	169,34	166,60	183	120	-	102	117	32
	115	GG	6F	169,34	166,60	183	120	-	133	148	32
	170	GG	6F	169,34	166,60	183	135	-	187	202	32
40	40	GG	6F	178,25	175,49	188	120	-	54		

HTD/GT 14M (pokračování)

Počet zubů	Pro řemen šíř (mm)	Mat.	Typ	Dp	De	Df	Dm	Di	L	M	d
44	170	GG	6F	196,08	193,28	211	160	-	187	202	32
48	40	GG	6WF	213,90	211,11	226	135	172	54	69	24
	55	GG	10WF	213,90	211,11	226	135	172	70	70	24
	85	GG	6F	213,90	211,11	226	150	-	102	117	32
	115	GG	6F	213,90	211,11	226	150	-	133	148	32
	170	GG	6F	213,90	211,11	226	160	-	187	202	32
56	40	GG	6WF	249,55	246,76	256	135	207	54	69	28
	55	GG	10WF	249,55	246,76	256	135	207	70	70	28
	85	GG	10WF	249,55	246,76	256	150	207	102	102	32
	115	GG	6F	249,55	246,76	256	150	-	133	148	32
	170	GG	6F	249,55	246,76	256	160	-	187	202	32
64	40	GG	6WF	285,21	282,41	296	135	242	54	69	28
	55	GG	10WF	285,21	282,41	296	135	242	70	70	28
	85	GG	10WF	285,21	282,41	296	150	242	102	102	32
	115	GG	10WF	285,21	282,41	296	150	242	133	133	32
	170	GG	6F	285,21	282,41	296	180	-	187	187	32
72	40	GG	6A	320,86	318,06	-	135	278	54	69	28
	55	GG	10A	320,86	318,06	-	135	278	70	70	28
	85	GG	10A	320,86	318,06	-	150	278	102	102	32
	115	GG	10A	320,86	318,06	-	150	278	133	133	32
	170	GG	10A	320,86	318,06	-	150	278	187	187	32
80	40	GG	6A	356,51	353,71	-	135	314	54	69	28
	55	GG	10A	356,51	353,71	-	135	314	70	70	28
	85	GG	10A	356,51	353,71	-	150	314	102	102	32
	115	GG	10A	356,51	353,71	-	150	314	133	133	32
	170	GG	10W	356,51	353,71	-	180	314	187	187	32
90	40	GG	6A	401,07	398,28	-	135	358	54	69	28

	55	GG	10A	401,07	398,28	-	135	358	70	70	28
	85	GG	10A	401,07	398,28	-	150	358	102	102	32
	115	GG	10A	401,07	398,28	-	150	358	133	133	32
	170	GG	10A	401,07	398,28	-	180	358	187	187	38
112	40	GG	6A	499,11	496,32	-	135	456	54	69	28
	55	GG	10A	499,11	496,32	-	135	456	70	70	28
	85	GG	10A	499,11	496,32	-	150	456	102	102	32
	115	GG	10A	499,11	496,32	-	150	456	133	133	32
	170	GG	10A	499,11	496,32	-	200	456	187	187	38
144	40	GG	6A	641,71	638,92	-	135	600	54	69	28
	55	GG	10A	641,71	638,92	-	135	600	70	70	28
	85	GG	10A	641,71	638,92	-	150	600	102	102	32
	115	GG	10A	641,71	638,92	-	165	600	133	133	32
	170	GG	10A	641,71	638,92	-	220	600	187	187	38
168	40	GG	6A	748,66	745,87	-	135	706	54	69	28
	55	GG	10A	748,66	745,87	-	135	706	70	70	28
	85	GG	10A	748,66	745,87	-	150	706	102	102	32
	115	GG	10A	748,66	745,87	-	165	706	133	133	32
	170	GG	10A	748,66	745,87	-	220	706	187	187	38
192	40	GG	6A	855,62	852,82	-	135	813	54	69	28
	55	GG	10A	855,62	852,82	-	135	813	70	70	28
	85	GG	10A	855,62	852,82	-	150	813	102	102	32
	115	GG	10A	855,62	852,82	-	165	813	133	133	32
	170	GG	10A	855,62	852,82	-	220	813	187	187	38
216	40	GG	6A	962,57	959,76	-	150	920	54	69	28
	55	GG	10A	962,57	959,76	-	150	920	70	70	28
	85	GG	10A	962,57	959,76	-	165	920	102	102	32
	115	GG	10A	962,57	959,76	-	165	920	133	133	32
	170	GG	10A	962,57	959,76	-	220	920	187	187	38

L

Počet zubů	Pro řemen šíř (kód)	Mat.	Typ	Dp	De	Df	Dm	F	L	d	Max. d
10	50	ST	6F	30,32	29,59	36	22	19	26	6	13
	75	ST	6F	30,32	29,59	36	22	25	32	6	13
	100	ST	6F	30,32	29,59	36	22	25	38	6	13
12	50	ST	6F	36,38	35,62	42	28	19	26	6	17
	75	ST	6F	36,38	35,62	42	28	25	32	8	17
	100	ST	6F	36,38	35,62	42	28	31	38	8	17
13	50	ST	6F	39,41	38,65	44	30	19	26	6	19
	75	ST	6F	39,41	38,65	44	30	25	32	8	19
	100	ST	6F	39,41	38,65	44	30	31	38	8	19
14	50	ST	6F	42,45	41,68	48	33	19	26	8	20
	75	ST	6F	42,45	41,68	48	33	25	32	8	20
	100	ST	6F	42,45	41,68	48	33	31	38	8	20
15	50	ST	6F	45,48	44,72	51	36	19	26	8	23
	75	ST	6F	45,48	44,72	51	36	25	32	8	23
	100	ST	6F	45,48	44,72	51	36	31	38	8	23
16	50	ST	6F	48,51	47,75	54	38	19	26	8	23
	75	ST	6F	48,51	47,75	54	38	25	32	8	23
	100	ST	6F	48,51	47,75	54	38	31	38	8	23
17	50	ST	6F	51,54	50,78	57	40	19	26	10	24
	75	ST	6F	51,54	50,78	57	40	25	32	10	24
	100	ST	6F	51,54	50,78	57	40	31	38	10	24
18	50	ST	6F	54,57	53,81	60	40	19	26	10	24
	75	ST	6F	54,57	53,81	60	40	25	32	10	24
	100	ST	6F	54,57	53,81	60	40	31	38	10	24
19	50	ST	6F	57,61	56,84	60	40	19	26	10	24
	75	ST	6F	57,61	56,84	60	40	25	32	10	24
	100	ST	6F	57,61	56,84	60	40	31	38	10	24
20	50	ST	6F	60,64	59,88	66	46	19	26	10	28
	75	ST	6F	60,64	59,88	66	46	25	32	10	28
	100	ST	6F	60,64	59,88	66	46	31	38	10	28
21	50	ST	6F	63,67	62,91	71	46	19	26	10	28
	75	ST	6F	63,67	62,91	71	46	25	32	10	28
	100	ST	6F	63,67	62,91	71	46	32	38	10	28
22	50	ST	6F	66,70	65,94	75	50	19	26	10	30
	75	ST	6F	66,70	65,94	75	50	25	32	10	30

	100	ST	6F	66,70	65,94	75	50	31	38	10	30
24	50	ST	6F	72,77	72,00	79	50	19	26	12	30
	75	ST	6F	72,77	72,00	79	50	25	32	12	30
	100	ST	6F	72,77	72,00	79	50	31	38	12	30
26	50	ST	6F	78,83	78,07	87	50	19	26	12	30
	75	ST	6F	78,83	78,07	87	50	25	32	12	30
	100	ST	6F	78,83	78,07	87	50	31	38	12	30
28	50	ST	6F	84,89	84,13	91	50	19	26	12	30
	75	ST	6F	84,89	84,13	91	50	25	32	12	30
	100	ST	6F	84,89	84,13	91	50	31	38	12	30
30	50	ST	6F	90,96	90,20	97	50	19	26	12	30
	75	ST	6F	90,96	90,20	97	50	25	32	12	30
	100	ST	6F	90,96	90,20	97	50	31	38	12	30
32	50	ST	6F	97,02	96,26	103	50	19	26	12	30
	75	ST	6F	97,02	96,26	103	50	25	32	12	30
	100	ST	6F	97,02	96,26	103	50	31	38	12	30
36	50	GG	6WF	109,15	108,39	115	50	19	26	12	30
	75	GG	6WF	109,15	108,39	115	50	25	32	12	32
	100	GG	6CWF	109,15	108,39	115	55	32	32	12	32
40	50	GG	6WF	121,28	120,51	127	50	19	26	12	30
	75	GG	6WF	121,28	120,51	127	60	25	32	12	35
	100	GG	6CWF	121,28	120,51	127	60	32	32	12	35
44	50	GG	6AF	133,40	132,64	140	50	19	26	12	30
	75	GG	6AF	133,40	132,64	140	60	25	32	12	35
	100	GG	10AF	133,40	132,64	140	60	32	-	12	35
48	50	GG	6AF	145,53	144,77	152	50	19	26	12	30
	75	GG	6AF	145,53	144,77	152	60	25	32	12	35
	100	GG	10AF	145,53	144,77	152	60	32	-	12	35
60	50	GG	6A	181,91	181,15	-	50	19	28	15	30
	75	GG	6A	181,91	181,15	-	60	26	35	15	35
	100	GG	6A	181,91	181,15	-	60	32	35	15	35
72	50	GG	6A	218,30	217,53	-	50	19	28	15	30
	75	GG	6A	218,30	217,53	-	60	26	35	15	35
	100	GG	6A	218,30	217,53	-	60	32	35	15	35
84	50	GG	6A	254,68	253,92	-	50	19	28	15	30
	75										